

Guidance Document Index

	Page
<u>Paragraph 3(a) – Definition of “amino acid”</u>	
Example 3(a)-1: D amino acids	7
<u>Cross-referenced examples</u>	
Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid	53
Example 29-1: Feature key “CARBOHYD”	55
<u>Paragraph 3(bbis) – Definition of “enumeration of its residues”</u>	
Example 3(bbis)-1: Enumeration of amino acids by chemical structure	9
Example 3(bbis)-2: Shorthand formula for an amino acid sequence	11
<u>Cross-referenced examples</u>	
Example 26-1: Shorthand formula for a nucleotide sequence	46
Example 26-3: Shorthand formula - four or more specifically defined amino acids	49
<u>Paragraph 3(cter) – Definition of “modified nucleotide”</u>	
<u>Cross-referenced examples</u>	
Example 3(d)-4: Nucleic Acid Analogues	17
<u>Paragraph 3(d) – Definition of “nucleotide”</u>	
Example 3(d)-1: Nucleotide sequence interrupted by a C3 spacer	13
Example 3(d)-2: Nucleotide sequence with residue alternatives, including a C3 spacer	14
Example 3(d)-3: Abasic site	16
Example 3(d)-4: Nucleic Acid Analogues	17

Cross-referenced examples

Example 10(b)-1: Double-stranded nucleotide sequence – different lengths	41
Example 14-1: The symbol “t” represents uracil in RNA	44

Paragraph 3(h) – Definition of “specifically defined”

Example 3(h)-1: Nucleotide ambiguity symbols	18
Example 3(h)-2: Ambiguity symbol “n” used in both a conventional and nonconventional manner	19
Example 3(h)-3: Ambiguity symbol “n” used in a nonconventional manner	21
Example 3(h)-4: Ambiguity symbols other than “n” are “specifically defined”	22
Example 3(h)-5: Ambiguity abbreviation “Xaa” used in a nonconventional manner	23

Paragraph 6 – Sequences for which inclusion in a sequence listing is required

Cross-referenced examples

Example 27-1: Encoding nucleotide sequence and encoded amino acid sequence	51
--	----

Paragraph 6(a) – Nucleotide sequences required in a sequence listing

Example 6(a)-1: Branched nucleotide sequence	24
Example 6(a)-2: Linear nucleotide sequence having a secondary structure	27
Example 6(a)-3: Nucleotide ambiguity symbols used in a nonconventional manner	29
Example 6(a)-4: Nucleotide ambiguity symbols used in a nonconventional manner	30
Example 6(a)-5: Nonconventional nucleotide symbols	31
Example 6(a)-6: Nonconventional nucleotide symbols	32

Cross-referenced examples

Example 3(d)-1: Nucleotide sequence interrupted by a C3 spacer	13
Example 3(d)-2: Nucleotide sequence with residue alternatives, including a C3 spacer	14
Example 3(d)-3: Abasic site	16

Example 3(d)-4: Nucleic Acid Analogues	17
Example 3(h)-1: Nucleotide ambiguity symbols	18
Example 3(h)-2: Ambiguity symbol “n” used in both a conventional and nonconventional manner	19
Example 3(h)-3: Ambiguity symbol “n” used in a nonconventional manner	21
Example 3(h)-4: Ambiguity symbols other than “n” are “specifically defined”	22
Example 10(a)-1: Double-stranded nucleotide sequence – same lengths	40
Example 10(b)-1: Double-stranded nucleotide sequence – different lengths	41
Example 10(b)-2: Double-stranded nucleotide sequence – no base-pairing segment	43
Example 14-1: The symbol “t” represents uracil in RNA	44
Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence	62
Example 91-1: Representation of enumerated variants	64
Example 92(b)-1: Representation of individual variant sequences with multiple interdependent variations	68

Paragraph 6(b) – Amino acid sequences required in a sequence listing

Example 6(b)-1: Four or more specifically defined amino acids	34
Example 6(b)-2: Branched amino acid sequence	35
Example 6(b)-3: Branched amino acid sequence	38

Cross-referenced examples

Example 3(a)-1: D amino acids	7
Example 3(bbis)-1: Enumeration of amino acids by chemical structure	9
Example 3(bbis)-2: Shorthand formula for an amino acid sequence	11
Example 3(h)-5: Ambiguity abbreviation “Xaa” used in a nonconventional manner	23
Example 26-1: Shorthand formula for a nucleotide sequence	46

Example 26-3: Shorthand formula - four or more specifically defined amino acids	49
Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid	53
Example 29-1: Feature key “CARBODHYD”	55
Example 36-1: Sequence with a region of a known number of “X” residues represented as a single sequence	56
Example 37-1: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence	60
Example 37-2: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence	61
Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence	62
Example 91 <i>bis</i> -1: Representation of single sequence with enumerated alternative amino acids	65
Example 92(a)-1: Representation of a variant sequence by annotation of the primary sequence	66

Paragraph 7 – Threshold for inclusion of sequences

Cross-referenced examples

Example 3(h)-1: Nucleotide ambiguity symbols	18
Example 3(h)-2: Ambiguity symbol “n” used in both a conventional and nonconventional manner	19
Example 6(a)-1: Branched nucleotide sequence	24
Example 6(a)-6: Nonconventional nucleotide symbols	32
Example 6(b)-1: Four or more specifically defined amino acids	34
Example 14-1: The symbol “t” represents uracil in RNA	44
Example 37-1: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence	60
Example 37-2: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence	61

Example 91bis-1: Representation of single sequence with enumerated alternative amino acids	65
--	----

Paragraph 10 – Representation of a nucleotide sequence

Cross-referenced examples

Example 3(d)-4: Nucleic Acid Analogues	17
Example 6(a)-1: Branched nucleotide sequence	24

Paragraph 10(a) – Double-stranded nucleotide sequence - fully complementary

Example 10(a)-1: Double-stranded nucleotide sequence – same lengths	40
---	----

Paragraph 10(b) – Double-stranded nucleotide sequence – not fully complementary

Example 10(b)-1: Double-stranded nucleotide sequence – different lengths	41
Example 10(b)-2: Double-stranded nucleotide sequence – no base-pairing segment	43

Paragraph 13 – Representation of nucleotides

Cross-referenced examples

Example 3(h)-2: Ambiguity symbol “n” used in both a conventional and nonconventional manner	19
Example 6(a)-1: Branched nucleotide sequence	24
Example 14-1: The symbol “t” represents uracil in RNA	44
Example 91-1: Representation of enumerated variants	64

Paragraph 14 – Symbol “t” construed as uracil in RNA

Example 14-1: The symbol “t” represents uracil in RNA	44
---	----

Paragraph 15 – The most restrictive nucleotide ambiguity symbol should be used

Cross-referenced examples

Example 3(d)-1: Nucleotide sequence interrupted by a C3 spacer	13
Example 3(d)-2: Nucleotide sequence with residue alternatives, including a C3 spacer	14

Example 3(h)-4: Ambiguity symbols other than “n” are “specifically defined”	22
Example 92(b)-1: Representation of individual variant sequences with multiple interdependent variations	68

Paragraph 16 – Representation of a modified amino acid

Cross-referenced examples

Example 3(d)-1: Nucleotide sequence interrupted by a C3 spacer	13
Example 3(d)-4: Nucleic Acid Analogues	17

Paragraph 17 – Annotation of a modified amino acid

Cross-referenced examples

Example 3(d)-1: Nucleotide sequence interrupted by a C3 spacer	13
Example 3(d)-3: Abasic site	16
Example 6(a)-1: Branched nucleotide sequence	24

Paragraph 17bis – Annotation of regions of consecutive modified nucleotides

Cross-referenced examples

Example 3(d)-4: Nucleic Acid Analogues	17
Example 10(b)-1: Double-stranded nucleotide sequence – different lengths	41

Paragraph 18 – Annotation of uracil in DNA or thymine in RNA

Cross-referenced examples

Example 14-1: The symbol “t” represents uracil in RNA	44
---	----

Paragraph 24 – Amino acid sequence residue position number 1

Cross-referenced examples

Example 3(a)-1: D amino acids	7
Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid	53

Paragraph 25 – Representation of amino acids

Cross-referenced examples

Example 36-1: Sequence with a region of a known number of “X” residues represented as a single sequence	56
Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence	62

Paragraph 26 – The most restrictive amino acid ambiguity symbol should be used

Example 26-1: Shorthand formula for a nucleotide sequence	46
Example 26-2: Shorthand formula - less than four specifically defined amino acids	47
Example 26-3: Shorthand formula - four or more specifically defined amino acids	49

Cross-referenced examples

Example 6(b)-1: Four or more specifically defined amino acids	34
Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid	53
Example 36-1: Sequence with a region of a known number of “X” residues represented as a single sequence	56
Example 36-2: Sequence with multiple regions of a known number or range of “X” residues represented as a single sequence	57
Example 36-3: Sequence with multiple regions of a known number or range of “X” residues represented as a single sequence	58
Example 91 <i>bis</i> -1: Representation of single sequence with enumerated alternative amino acids	65
Example 92(a)-1: Representation of a variant sequence by annotation of the primary sequence	66

Paragraph 27 – Amino acid sequences separated by internal terminator symbols

Example 27-1: Encoding nucleotide sequence and encoded amino acid sequence	51
---	-----------

Cross-referenced examples

Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence 62

Paragraph 28 – Representation of an “other” modified amino acid

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid 53

Cross-referenced examples

Example 3(a)-1: D amino acids 7

Example 29-1: Feature key “CARBODHYD” 54

Paragraph 29 – Annotation of a modified amino acids

Example 29-1: Feature key “CARBODHYD” 54

Cross-referenced examples

Example 3(a)-1: D amino acids 7

Example 3(bbis)-1: Enumeration of amino acids by chemical structure 9

Example 6(b)-2: Branched amino acid sequence 35

Example 6(b)-3: Branched amino acid sequence 38

Paragraph 30 – Representation of a D-amino acid

Cross-referenced examples

Example 3(a)-1: D amino acids 7

Example 3(bbis)-1: Enumeration of amino acids by chemical structure 9

Example 6(b)-2: Branched amino acid sequence 35

Example 6(b)-3: Branched amino acid sequence 38

Paragraph 32 – Annotation of an “unknown” amino acid

Cross-referenced examples

Example 3(bbis)-1: Enumeration of amino acids by chemical structure 9

Paragraph 34 – Annotation of a contiguous region of “X” residues

Cross-referenced examples

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid 53

Paragraph 36 – Sequences containing regions of an exact number of contiguous “n” or “X” residues

Example 36-1: Sequence with a region of a known number of “X” residues represented as a single sequence 56

Example 36-2: Sequence with multiple regions of a known number or range of “X” residues represented as a single sequence 57

Example 36-3: Sequence with multiple regions of a known number or range of “X” residues represented as a single sequence 58

Paragraph 37 – Sequences containing regions of an unknown number of contiguous “n” or “X” residues

Example 37-1: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence 60

Example 37-2: Sequence with regions of an unknown number of “X” residues must not be represented as a single sequence 61

Paragraph 54 – The element INSDSeq_moltype

Cross-referenced examples

Example 14-1: The symbol “t” represents uracil in RNA 44

Paragraph 57 – The element INSDSeq_sequence

Cross-referenced examples

Example 27-1: Encoding nucleotide sequence and encoded amino acid sequence 51

Paragraph 66 – Location descriptor

Cross-referenced examples

Example 3(d)-4: Nucleic Acid Analogues 17

Paragraph 67 – Location descriptor syntax

Cross-referenced examples

Example 3(d)-4: Nucleic Acid Analogues 17

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid 53

Paragraph 71 – Feature locations

Cross-referenced examples

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid 53

Paragraph 72 – Representation of the characters “<” and “>” in a location descriptor

Cross-referenced examples

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid 53

Paragraph 88 – “CDS” Feature key

Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence 62

Paragraph 89 – The qualifiers “transl table” and “translation”

Cross-referenced examples

Example 27-1: Encoding nucleotide sequence and encoded amino acid sequence 51

Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence 62

Paragraph 90 – Encoded amino acid sequence inclusion in a sequence listing

Cross-referenced examples

Example 27-1: Encoding nucleotide sequence and encoded amino acid sequence 51

Example 88-1: Encoding nucleotide sequence and encoded amino acid sequence 62

Paragraph 91 – Primary sequence and a variant each enumerated by its residues

Example 91-1: Representation of enumerated variants **64**

Paragraph 91bis – Variant sequence disclosed as a single sequence with enumerated alternative residues

Example 91bis-1: Representation of single sequence with enumerated alternative amino acids **65**

Paragraph 92(a) – A variant sequence disclosed only by reference to a primary sequence with multiple independent variations

Example 92(a)-1: Representation of a variant sequence by annotation of the primary sequence **66**

Paragraph 92(b) – A variant sequence disclosed only by reference to a primary sequence with multiple interdependent variations

Example 92(b)-1: Representation of individual variant sequences with multiple interdependent variations **68**

Paragraph 93 – Feature keys and qualifiers for a variant sequence

Cross-referenced examples

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid **53**

Paragraph 94– Annotation of a variant sequence

Cross-referenced examples

Example 28-1: Most restrictive ambiguity symbol for an “other” amino acid **53**

Example 91bis-1: Representation of single sequence with enumerated alternative amino acids **64**